



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Monroe County are stored on microfilm Reel 4658 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor

T 8 N

R 2 W

South Boundary, April 4, 1811

West On the South Boundary of sec. 36. T8. N. R. 27W.
 40.00 Set a 7/4 sec post from which a
 Spruce 18 in dia. bears S 63 E 16 links dist. 12,
 Sugar 12 " " " N 44 W 16 " "
 42.00 To a Birch 3 links 3 links with, corner N.
 44.25 To a W Oak 24 in dia. in the line.
 80.00 Set a post for the cor of sec. 35 & 36. From which,
 Birch 5 in dia. bears S 22 E 10 links dist. 12,
 Do. 12 " " " N 35 W 15 " "
 Sand good Timber Birch, Sugar, Oak, &c.

West On the South Boundary of sec. 35. T8. N. R. 27W.
 40.00 Set a 7/4 sec post from which a
 Birch 15 in dia. bears S 18 E 13 links dist. 12,
 Do. 16 " " " S 85 W 13 " "
 69.75 To a Sugar 16 in dia. in the line.
 80.00 Set a post for the cor of sec. 34 & 35 from which,
 Sugar 12 in dia. bears South 17 links dist. 12,
 Malting 8 " " " N 54 W 34 " "
 Sand 8 1/2 mile Good Timber Birch, Sugar, Oak &c
 2nd 7/4 " Rich and hard Timber Birch,
 Sugar, Poplar, &c.

West On the South Boundary of sec. 34. T8. N. R. 27W.
 32.50 To a Birch 12 in dia. in the line.
 40.00 Set a 7/4 sec post from which,
 Hick 20 in dia. bears S 68 E 34 links dist. 12,
 Do. 18 " " " N 87 W 25 " "
 67.75 To a Hick 12 in dia. in the line.
 80.00 Set a post for the cor of sec. 33 & 34 from which,
 Hick 15 in dia. bears S 74 E 16 links dist. 12,
 Do. 14 " " " N 44 W 20 " "

Lands & timber same as last mile.

West On the South Boundary of sec. 33 T. 8 N. R. 2 W.
 31.50 To a W Oak 30 in dia. in the tree.
 40.00 Set a new post from which,
 Hickory 12 in dia. bears S 47 W 30 links dist; to
 W Oak. 18 " " N 79 E 45 " "
 46.00 To a Brook 3 miles mid, corner N.
 80.00 Set a post for the cor of sec 33 & 34 from which,
 Gum 12 in dia. bears S 37 E 18 links dist; to
 Hickory 16 " " N 33 W 19 " "
 Good Oak Land.

West On the South Boundary of sec. 32 T. 8 N. R. 2 W.
 28.50 To a Poplar 28 in dia. in the tree.
 40.00 Set a new post from which,
 Dogwood 6 in dia. bears N 84 E 31 links dist; to
 Sugar. 13 " " West 24 " "
 80.00 Set a post for the cor of sec 31 & 32 from which,
 Sugar 16 in dia. bears N 49 E 23 links dist; to
 Beech. 16 " " S 29 W 23 " "
 Good Oak Land.

West On the South Boundary of sec. 31 T. 8 N. R. 2 W.
 17.00 To a Brook 3 miles mid, corner S.
 40.00 Set a new post from which,
 Sugar 14 in dia. bears S 76 W 13 links dist; to
 Walnut 8 " " N 55 E 20 " "
 50.00 To a Brook 10 miles mid, corner S.E.
 77.00 " " Do. 3 " " N.
 80.00 Set a temporary post for the cor of T. 7 & 8 N. R. 2 & 3 W.
 Lands good Timber Sugar, Oak, & Poplar.
 Surveyed by Alexander, Holmes & Co.

East Boundary

B. 100

North On the East Boundary of sec. 36 T. 8 N. R. 2 W.
 15.00 To a Creek 50 miles mid, corner S.E.
 40.00 Set a new post from which,
 Beech 18 in dia. bears S 60 E 17 links dist; to
 Do. 15 " " N 40 W 15 " "
 55.50 To an Ash 16 in dia. in the tree.
 80.00 Set a post for the cor of sec 25 & 36 from which,
 Dogwood 4 in dia. bears N 60 E 10 links dist; to
 Beech. 18 " " N 15 W 27 " "
 Lands rich and level, & water land. Timber Sugar,
 Walnut, Ash, &c.

North On the East Boundary of sec. 25 T. 8 N. R. 2 W.
 16.50 To a Brook 8 miles mid, corner E.
 28.00 To a Beech 40 in dia. in the tree.
 40.00 Set a new post from which,
 Sugar 13 in dia. bears S 24 E 20 links dist; to
 Beech. 8 " " N 85 W 26 " "
 44.00 To a Creek 60 miles mid, corner S.E.
 80.00 Set a post for the cor of sec 24 & 25 from which,
 Sugar 13 in dia. bears N 55 E 11 links dist; to
 Do. 14 " " N 35 W 24 " "
 Lands and timber same as last mile.

North On the East Boundary of sec. 24 T. 8 N. R. 2 W.
 18.00 To a W Oak 20 in dia. in the tree.
 40.00 Set a new post from which,
 Sugar 16 in dia. bears S 78 W 14 links dist; to
 Beech 3 " " N 10 E 13 " "
 80.00 Set a post for the cor of Sec. 13 & 24 from which,
 Sugar 13 in dia. bears S 66 E 16 links dist; to
 Do. 6 " " N 16 W 4 " "

T. N. 8. N. R. N. 27 2nd Mer. Ind.

Sands of a middling quality, Timitu Bead, Sugar, Poplar &c.

North On the East Boundary of sec. 13. T. 8. N. R. 27
40.00 Set a 7th sec. post from which
W Oak 16 in dia: bears S 52 W 37 links dist: &c.
Dogwood 6 " " " N 17 E 13 " "
69.00 To a Brook 8 links mid, Corner S.E.
78.00 " " Sugar 13 in dia: in the line
80.00 Set a 7th sec. post for the cor of sec. 12 & 13 from which
Ash. 6 in dia: bears N 30 W 11 links dist: &c.
W Oak 5 " " " S 66 E 18 " "
Land on the 1st 7th mile of middling quality. Timitu
Beech, Sugar, & Poplar: 2nd 7th mile 2nd rate
Timitu Oak & Poplar.

North On the East Boundary of Sec. 12 T. 8. N. R. 27
23.50 To a Beech. 14 in dia: in the line
35.00 To a spring 20 links mid, Corner S.E. A Rattle
snake den at the head.
40.00 Set a 7th sec. post from which
Poplar 40 in dia: bears N 65 E 8 links dist: &c.
Do. 36 " " " N 54 W 24 " "
80.00 Set a post for the cor of sec. 17 & 2 from which
Dogwood 4 in dia: bears S 60 W 7 links dist: &c.
W Oak 30 " " " S 40 E 5 " "
Sands level & Timitu Oak

North On the East Boundary of Sec. 1. T. 8. N. R. 27
28.30 To a W Oak 36 in dia: in the line.
40.00 Set a 7th sec. post from which
W Oak 10 in dia: bears S 56 W 11 links dist: &c.
Poplar 40 " " " N 31 E 7 " "

T. N. 8. N. R. N. 27 2nd Mer. Ind.

57.50 To an R Oak. 20 in dia: in the line
81.00 Set attempt post for the cor of sec. 8 & 9 N. R. 27
Land level and good Timitu Oak.

North Boundary

B. 136.

April 6. 1811. From the cor. of T. 8 & 9 North of
R. 27 2nd Mer. thence
West On the South Boundary of sec. 36. T. 9. N. R. 27
40.00 Set a 7th sec. post from which
Stick 13 in dia: bears N 37 E 31 links dist: &c.
Do. 14 " " " S 53 W 22 " "
80.00 Set a post for the cor of sec. 35 & 36 from which
Dogwood 5 in dia: bears S 76 W 28 links dist: &c.
Do. 4 " " " N 76 E 16 " "
Land level Timitu Oak, & Stick

West On the South Boundary of sec. 35. T. 9. N. R. 27
35.00 To a Brook 10 links mid, Corner S.
40.00 Set a 7th sec. post from which
Beech 10 in dia: bears S 46 E 14 links dist: &c.
Dogwood 5 " " " N 87 W 16 " "
80.00 Set a post for the cor of sec. 34 & 35 from which
W Oak 15 in dia: bears N 30 W 7 links dist: &c.
Do. 18 " " " S 45 W 13 " "
Land level Timitu Oak, & Stick

West On the South Boundary of sec. 33. T. 9. N. R. 27
40.00 Set a 7th sec. post from which
Sugar 10 in dia: bears N 22 W 13 links dist: &c.
Do. 13 " " " S 11 W 30 " "
80.00 Set a post for the cor of sec. 33 & 32 from which
W Oak 16 in dia: bears N 25 E 4 links dist: &c.
Sugar 8 " " " S 35 W 36 " "

T. N. 8. N. R. N. 27. 2nd Mer. Ind.

Good land; Timber ash, Sugar, & Walnut. &c.

West On the South Boundary of Sec. 34. T. 9. N. R. 27.
 40.00 Set a 7th sec post from which
 Sugar. 12 in diam. bears S 35 E. 13 links dist. &c.
 No. 8 " " " N 57 W. 12 " "
 80.00 Set a post for the cor. of sec 33 & 34 from which
 Gum. 5 in diam. bears S 40 W. 12 links dist. &c.
 B. Oak 36 " " " N 55 E. 15 " "
 Good land Timber Oak, Poplar, Sugar, &c.

West On the South Boundary of sec. 32. T. 9. N. R. 27.
 29.00 To a Brook. 20 links wide, corner NW.
 40.00 Set a 7th sec post from which
 Elm. 5 in diam. bears S 7 E. 18 links dist. &c.
 Buttonnut. 13 " " " N 40 W. 16 " "
 80.00 Set a post for the cor. of sec 31 & 32 from which
 Sugar. 12 in diam. bears S 30 E. 14 links dist. &c.
 Buck 8 " " " N 12 W. 12 " "

West On the South Boundary of sec. 31. T. 9. N. R. 27.
 40.00 Set a 7th sec post from which
 Sugar. 16 in diam. bears N 26 W. 26 links dist. &c.
 No. 4 " " " S 30 E. 5 " "
 80.00 Set a temporary post for the cor. of sec 1. 6. 31 & 36. T.
 8 & 9. N. R. 27. W. April 7. 1811

West Boundary
 North On the East Boundary of sec. 36. T. 8. N. R. 3 W.
 11.50 To a Brook 8 links wide, corner S.E.
 20.00 Set a 7th sec post from which
 Buck. 14 in diam. bears S 20 W. 31 links dist. &c.
 No. 16 " " " N 51 E. 26 " "

B. 138

T. N. 8. N. R. N. 27. 2nd Mer. Ind.

54.00 To a Buck 14 in diam. in the line.
 80.00 Set a post for the cor. of Sec. 25 & 36. from which a
 Buck 12 in diam. bears S 59 E. 18 links dist. &c.
 Gum 32 " " " N 19 W. 32 " "
 Good land. Timber. Buck. Gum. Poplar. &c.

North On the East Boundary of Sec. 25. T. 8. N. R. 3. W.
 19.50 To a Gum 20 in diam. in the line
 40.00 Set a post for the cor. of 1/4 Sec. from which a
 Hickory 10 in diam. bears S 19 E. 10 links dist. &c.
 No. 11 " " " N 26 W. 37 " "
 80.00 Set a post for the cor. of Sec. 24 & 25. from which a
 Buck 9 in diam. bears N 25 W. 10 links dist. &c.
 Maple 12 " " " S 79 E. 22 " "
 Good land. Timber. Oak. &c.

North On the East Boundary of Sec. 24. T. 8. N. R. 3. W.
 15.00 To a Hickory 18 in diam. in the line
 40.00 Set a post for the cor. of 1/4 Sec. from which a
 Sugar 13 in diam. bears N 59 W. 12 links dist. &c.
 No. 5 " " " S 43 E. 14 " "
 80.00 Set a post for the cor. of Sec. 13 & 24. from which
 a Poplar 5 in diam. bears N 18 E. 15 links dist. &c.
 No. 5 " " " East 19 " "
 Good hilly & stony. Timber. Oak. &c.

North On the East Boundary of Sec. 13. T. 8. N. R. 3. W.
 35.00 To a Buck 14 in diam. in the line
 40.00 Set a post for the cor. of 1/4 Sec. from which a
 Buck 15 in diam. bears S 52 W. 40 links dist. &c.
 No. 14 " " " S 60 E. 32 " "
 47.00 To a Buck 50 links wide; corner N.W.
 80.00 Set a post for the cor. of Sec. 12 & 13. from which a

T. N. 8. N. R. N. 27 2nd Mer. Ind.

Buck 18 in diam. bears S. 58. E. 22. links dist. 24
 Sugar 12 " " " N 76. W. 19. " "
 Land hilly & rich Timber as above

North On the East Boundary of sec. 12 T. 8. N. R. 27
 40.00 Set a new post from which,

Buck 14 in diam. bears N 61 W. 14 links dist; or,
 W. 7 " " S 47 E. 16 " "

63.50 To a Sugar 7 in diam. in the line.

69.00 To a Brook 15 links wide, corner S. W.

80.00 Set a post for the cor. of sec. 17 2nd from which,
 Sugar 14 in diam. bears S 68 W. 20 links dist; or,
 Buck 15 " " " N 86 E. 18 " "
 Land 2nd rate; Timber Buck, Sugar, &c.

North On the East Boundary of sec. 1 T. 8. N. R. 27

9.00 To a Poplar — in diam. in the line.

40.00 Set a new post from which,

Poplar 20 in diam. bears S 82 E. 23 links dist; or,
 Buck 6 " " " S 82 W. 24 " "

78.00 Tell 10 ch East of the temp^y post and set a post for
 the cor. of T. 8 & 9 N. R. 27 3rd from which,

Sugar 13 in diam. bears S 77 E. 9 links dist; or,

W. 12 " " " S 46 W. 17 " "

Land & timber same as last mile.

Surveyed by
 April 8. 1811 James Holmes. L.S.

Subdivisions

North Return Sec. 35 T. 36 T. 8. N. R. 27

23.50 To a Brook 25 links wide, corner S. E.

40.00 Set a new post from which,

Buck 12 in diam. bears S 44 W. 34 links dist; or,

T. N. 8. N. R. N. 27 2nd Mer. Ind.

Nick 12 in diam. bears N 40 E. 23 links dist.

72.50 To a Brook 25 links wide, corner S. E.

80.00 Set a post for the cor. of sec. 25 26 35 & 36 from which,
 Sugar 10 in diam. bears S 80 E. 20 links dist; or,

Buck 20 " " " S 46 W. 7 " "

Land with some rolling; Timber Poplar, Oak, Walnut,
 Sugar.

East On a Random line between Sec. 25 & 36 T. 8. N. R. 27

13.50 To a Spring corner S.

27.00 " " Brook 10 links wide, corner S. W.

40.00 Set a temp^y 7th sec post.

80.00 Enter cut the N. 27 line 12 links South of the post cor.
 of sec. 25 & 36. Land the same.

West On the line between Sec. 25 & 36 T. 8. N. R. 27

40.00 Set the temp^y 7th sec post at the corner on the true line
 from which Red Oak 10 in diam. bears N 74 E. 17 links dist;
 and a W. Ash. 20 " " " S 56 W. 16 " "

80.00 Set the post cor. of sec. 25 36 35 & 36.

North Return Sec. 25 & 36 T. 8. N. R. 27

40.00 Set a new post from which,

Buck 15 in diam. bears S 72 W. 18 links dist; or,

W. 8 " " " S 74 E. 7 " "

80.00 Set a post for the cor. of sec. 23 24 25 & 26 from which,

W. 12 in diam. bears N 12 W. 9 links dist; or,

Buck 15 " " " S 20 E. 10 " "

Land the same.

East On a Random line between Sec. 24 & 25 T. 8. N. R. 27

40.00 Set a temp^y 7th sec post

50.00 To a Brook 20 links wide corner South.

T. N. 8. R. N. 27. 2nd. Min. Ind.

80.20	Intersect the East Boundary 10 miles North of the first cor of sections 24 & 25. Same the same.
West	On the true line between Sec. 24 & 25 T. 8. N. R. 27.
40.10	Set the temp. 7th sec post at the ar. dist. on the true line from which, Beech 12 in diam. bears N 60 E. 15 the dist. and a Sugar 18 " " S 56 W 24 " "
80.20	To the post cor of sec. 23, 24, 25 & 26.
North	Between Sec. 23 & 24 T. 8. N. R. 27.
37.00	To spring corner E.
40.00	Set a new post from which, Beech 7 in diam. bears S 65 W. 20 the dist.; an Ash Bud. 5 " " N 87 E. 11 " "
44.00	To a Beech 25 miles mid. corner S. E.
80.00	Set a post for the cor of sec. 13, 14, 23 & 24 from which, Poplar 40 in diam. bears N 4 W. 11 the dist.; an Sugar 15 " " S 44 E. 24 " "
	Same the same as last mile.
East	On a Random line between Sec. 13 & 24 T. 8. N. R. 27.
40.00	Set a temp. 7th sec post.
46.00	To spring corner S.
79.30	Intersect the E. Boundary 30 miles South of the post cor. of sec. 13 & 24. Same the same as last mile.
West	On the true line between Sec. 13 & 24 T. 8. N. R. 27.
39.65	Set the temp. 7th sec post at the ar. dist. on the true line from which, Gum 20 in diam. bears S 60 E. 3 the dist. and a Dogwood 5 " " N 33 W 25 " "
79.30	To the cor of sec. 13, 14, 23 & 24.
North	Between Sec. 13 & 14 T. 8. N. R. 27.

comp.

T. N. 8. R. N. 27. 2nd. Min. Ind.

110.00	Set a post for the cor of 14 Sec. from which a Sugar 12 in diam. bears N 87 W. 20 links dist. an Elm 6 " " S 59 E. 18 " "
80.00	Set a post for the cor of Sec. 11, 12, 13 & 14 from which a Beech 30 in diam. bears N 10 W. 13 the dist. an Dogwood 5 " " N 15 E. 19 " "
	Same the same as last mile.
East	On a Random line between Sec. 12 & 13 T. 8. N. R. 27.
40.00	Set a temp. 7th sec post.
79.80	Intersect the East Boundary 34 miles North of the first cor of sec. 12 & 13. Same the same.
West	On the true line between Sec. 12 & 13 T. 8. N. R. 27.
39.90	Set the temp. 7th sec post at the ar. dist. on the true line from which, Hick 8 in diam. bears S 10 E. 14 the dist. an Dogwood 3 " " N 48 W 8 " "
79.80	To the post cor of sec. 11, 12, 13 & 14.
North	Between Sec. 11 & 12 T. 8. N. R. 27.
15.50	To a Beech 10 miles mid. corner W.
40.00	Set a new post from which, Beech 12 in diam. bears S 72 W. 14 the dist.; an Ash 4 " " S 57 E. 15 " "
42.00	To a Beech 10 miles mid. corner S. E.
80.00	Set a post for the cor of sec. 1, 2, 11 & 12 from which, Hick 8 in diam. bears N 12 E. 9 the dist.; an Ash 25 " " S 36 W 13 " "
	Same the same as last mile.
East	On a Random line between Sec. 11 & 12 T. 8. N. R. 27.
24.00	To a Beech 12 miles mid. corner S.
40.00	Set a new post temp.

T. N. 8. N. R. N. 277 2nd Mer. Ind.

79.30 Enter cut the East Boundary 38 miles South of the post
cor of sec. 1 & 12. Same as the same.

West Return Sec. 1 & 12 T. 8. N. R. N. 277 2nd Mer.
39.65 Set the trip for a post at the corner on the true line
from which Black 12 in diam. bears S 75 W 10 the dist; or
Nick 14 " " " N 60 E 23 " "
79.30 To the post cor of sec. 1, 2, 11, & 12.

North Return Sec. 1 & 12 T. 8. N. R. 277.
40.00 Set a 1/4 sec post from white
Ironwood 8 in diam. bears N 41 E 3 the dist; or
Dogwood 8 " " " S 49 W 16 " "
74.50 Enter cut the N Boundary 240 miles East of the post cor
of sec. 25 & 36. T. 9. N. R. 277 and set a post for the
cor of 1, 12 from white
Sum. 9 in diam. bears N 49 W 12 the dist; or
Dogwood 6 " " " N 6 W 14 " "
Same as the same as last mile.

North Return Sec. 34 & 35 T. 8. N. R. 277
26.50 To a Brook 12 miles mid, corner S. E.
40.00 Set a 1/4 sec post from white
Oak 10 in diam. bears N 44 W 13 the dist; or
Sugar 6 " " " S 8 E 27 " "
80.00 Set a post for the cor of sec. 26, 27, 34 & 35 from white
Sugar 10 in diam. bears N 62 E - the dist; or
Dogwood 3 " " " S 34 E 7 " "
Same as the same as last mile.

East On a R. and a line between Sec. 26 & 35 T. 8. N. R. 277
40.00 Set a 1/4 sec post from white
66.50 To a Brook 10 miles mid, corner S.

T. N. 8. N. R. N. 277 2nd Mer. Ind.

80.10 Enter cut the N B line 6 miles South of the post cor of
Sec. 25, 26, 35 & 36. Same as the same.

West On the true line between Sec. 26 & 35 T. 8. N. R. 277.
40.05 Set the post for the cor of 1/4 Sec. at the over. dist. on the true
line from which a Sugar 10 in diam. bears S 58 E 7 the dist; or
Sec. 10 " " " S 54 W 23 " "
80.10 To the post cor of Sec.

North Return Sec. 26 & 37 T. 8. N. R. 277.
40.00 Set a post for the cor of 1/4 Sec. from which a
Hickory 10 in diam. bears S 13 E 11 the dist; or
Ironwood 3 " " " N 14 W 3 " "
80.00 Set a post for the cor of sec. 22, 23, 26 & 27 from white
Dogwood 6 in diam. bears S 31 E 34 the dist; or
Sum. 6 " " " N 20 W 21 " "
Same as the same as last mile.

East On a R. and a line between Sec. 23 & 26 T. 8. N. R. 277.
40.00 Set a trip for a sec post
79.80 Enter cut the N B line 27 miles South of the post cor
of sec. 23 & 24, 25 & 26. Same as the same.

West On the true line between Sec. 23 & 26 T. 8. N. R. 277.
39.90 Set the trip for a sec post at the corner on the true line
from which Black 6 in diam. bears S 32 E 8 the dist; or
Maple 10 " " " S 59 W 23 " "
79.80 To the post cor of sec. 22, 23, 26 & 27

North Return Sec. 22 & 23 T. 8. N. R. 277.
40.00 Set a 1/4 sec post from white
6 in diam. bears S 29 W 6 the dist; or
Poplar 10 " " " S 24 E 8 " "

T. N. 8. N. R. N. 27th 2nd Mm. Ind.

80.00	Set apart for the crop of 14.15. 22 & 23 from white, Nut 10 in dia: bears 25 N 5 W dist: 12, N Walnut 10 " " " 161 E. 22, Sands the same.
East	On a Random line between Sec 14 & 23 T. 8. N. R. 27 th
40.00	Set a trip 1/2 in sup.
80.13	Intersect the N 13 line 16 miles South of the post on of Sec 13. 14 & 23 & 24. Sands the same.
West	On the line between Sec 14 & 23 T. 8. N. R. 27 th
40.06	Set the trip 1/2 in sup. at the ar. dist. on the line from white, Nut 10 in dia: bears 31 E. 14 the dist and a N Oak 12 " " " 166 E. 16 " "
80.13	To the post on of Sec. 14. 15. 22 & 23.
North	Return Sec 14 & 15 T. 8. N. R. 27 th
40.00	Set a 1/2 in sup. from white, Nut 12 in dia: bears 11 N 29 W dist: 12, Logwood 6 " " " 24 E. 9 " "
52.00	To a Brook 8 miles m. d. corner E.
80.00	Set a post for the crop of Sec. 10. 11. 14 & 15. from white, Sugar 10 in dia: bears 127 N. 25 W dist: 12, Lo. 12 " " " 146 E. 29 " "
	Sands the same. as last mile.
East	On a Random line between Sec 11 & 14 T. 8. N. R. 27 th
40.00	Set a 1/2 in sup. from white.
79.50	Intersect the N 13 line 10 miles South of the post on of Sec. 11. 12. 13 & 14. Sands the same.
West	On the line between Sec 11 & 14 T. 8. N. R. 27 th
39.75	Set the trip 1/2 in sup. at the ar. dist. on the line from

T. N. 8. N. R. N. 27th 2nd Mm. Ind.

	white, N Oak 10 in dia: bears 110 N 7 W dist: 12, Nicks 10 " " " 126 N. 5 " "
79.50	To the crop of Sec. 10. 11. 14 & 15.
North	Return Sec 10 & 11 T. 8. N. R. 27 th
40.00	Set a 1/2 in sup. from white, Sugar 10 in dia: bears 179 N. 22 W dist: 12, Logwood 6 " " " 126 E. 11 " "
80.00	Set apart for the crop of Sec. 2, 3, 10 & 11. from white, Sassafras 6 in dia: bears 16 N 6 W dist: 12, Logwood 5 " " " 136 N. 11 " "
	Sands the same. as last mile.
East	On a Random line between Sec 2 & 11 T. 8. N. R. 27 th
40.00	Set a trip 1/2 in sup.
64.00	To a Brook 8 miles m. d. corner S.
80.14	Intersect the N 13 line 21 miles South of the post on of Sec. 2, 1. 11 & 12. Sands the same.
West	On the line between Sec 2 & 11 T. 8. N. R. 27 th
40.07	Set the trip 1/2 in sup. at the ar. dist. on the line from white, Nut 14 in dia: bears 51 E. 13 the dist and a Nicks 6 " " " 140 N. 10 " "
80.14	To the crop of Sec. 2, 3, 10 & 11.
North	Return Sec 2 & 3 T. 8. N. R. 27 th
40.00	Set a 1/2 in sup. from white, Nut 10 in dia: bears 177 N. 6 W dist: 12, Lo. 12 " " " 17 E. 16 " "
41.00	To a Brook 8 miles m. d. corner S. 41.
74.79	A Nicks 8 in dia: stands in the N. 13 line 185 m. East of the post on of Sec. 3 & 4 & 13. T. 9. N. R. 27 th Sands the same.

I. N. 8. N. R. N. 277 2nd 7m. Sud.

North Return Las 33 & 34 I. S. N. R. 277.
40.00 Set apart for the ca of p. from which,
Sassafras 6 in dia. beam. S 11 E. 6 lms dist; 10,
Poplar 12 " " " S 77 W. 19 " "
80.00 Set apart for the ca of p. 27, 28, 33 & 34 from which,
Sum 6 in dia. beam. S 77 W. 18 lms dist; 10,
Poplar 40 " " " S 45 W. 20 " "
Sound the same as last mile.

East Cap Random line between Las 27 & 34 I. S. N. R. 277.
40.00 Set a tripot 7th sec post.
80.08 Intersect the N. B. line 28 lms South of the post ca,
of Las 26, 27, 34 & 35. Sound the same.

West Cap Line line between Las 27 & 34 I. S. N. R. 277.
40.04 Set the tripot 7th sec post at the ar dist on the true line
from which, Logwood 4 in dia. beam S 35 W. 15 lms dist
and a Beech 4 " " " S 85 W. 11 " "
80.08 To the post ca of Las 27, 28, 33 & 34

North Return Las 27 & 28 I. S. N. R. 277.
40.00 Set a 7th sec post from which,
Sum 6 in dia. beam. S 84 E. 32 lms dist; 10,
Oak 16 " " " S 77 W. 10 " "
80.00 Set apart for the ca of Las 21, 22, 27 & 28 from which,
Beech 4 in dia. beam. S 71 E. 15 lms dist; 10,
Poplar 24 " " " S 89 W. 20 " "
Sound the same as last mile.

East Cap Random line between Las 32 & 37 I. S. N. R. 277.
40.00 Set a tripot 7th sec post.
80.20 Intersect the N. B. line 28 lms South of the post ca
of Las 32, 33, 36, & 37. Sound the same.

I. N. 8. N. R. N. 277 2nd 7m. Sud.

West Cap Line line between Las 22 & 27 I. S. N. R. 277.
40.10 Set the tripot 7th sec post at the ar dist on the true line from
which, Sugar 15 in dia. beam N 20 E. 15 lms dist;
and an Elm 5 " " " S 30 E. 13 " "
80.20 To the post ca of Las 21, 22, 27 & 28.

North Return Las 21 & 22 I. S. N. R. 277.
40.00 Set a 7th sec post from which,
Poplar 30 in dia. beam. S 35 W. 7 lms dist; 10,
Beech 36 " " " S 70 E. 4 " "
80.10 Set apart for the ca of Las 16, 15, 21 & 22 from which
Sugar 5 in dia. beam N 29 E. 7 lms dist; 10,
Do. 5 " " " S 55 W. 9 " "
Sound the same as last mile.

East Cap Random line between Las 15 & 22 I. S. N. R. 277.
40.00 Set a tripot 7th sec post.
80.20 Intersect the N. B. line 10 lms North of the post ca of
Las 14, 15, 22 & 23. Sound the same.

West Cap Line line between Las 15 & 22 I. S. N. R. 277.
40.00 Set the tripot 7th sec post at the ar dist on the true line
from which a Sugar 5 in dia. beam S 31 E. 20 lms dist
and a Do. 20 " " " S 50 W. 19 " "
80.00 To the post ca of Las 15, 16, 21 & 22.

North Return Las 15 & 16 I. S. N. R. 277.
40.00 At 10 lms 15 in dia. stand for the ca of 7th sec
80.00 Set apart for the ca of Las 9, 10, 16 & 16 from which,
Hick 8 in dia. beam. N 51 W. 8 lms dist; 10,
Oak 20 " " " S 40 W. 32 " "
Sound the same as last mile.

10.50	To where the Brook was crossed three times
40.00	Set a 7/8 lb post from which W Walnut 7 in dia ^r beam. N 11 E. 4 lbs arch; or, Sugar. 18 " " " S 20 N. 36 " "
80.00	Set a post for the cor of sec. 20. 21. 28 & 29 from which, Hogwood 4 in dia ^r beam. N 45 N. 11 lbs arch; or, Do. 4 " " " S 33 E. 20 " " Sands the same, as last mile.
East	On a Random line between Sec 21 & 28 T. 8 N. R. 2 W.
40.00	Set a temporary post.
41.00	To a Brook 15 links miles. Corner S. W.
80.28.	Enter out the N. 13 line. 20 links South of the post cor of sec 21. 22. 27 & 28. Sands the same.
North	On the True line between Sec 21 & 28 T. 8 N. R. 2 W.
40.14	Set the temporary post at the corner on the true line from which, Beech. 5 in dia ^r beam. N 34 N. 40 lbs arch under Do 15 " " " S 40 E. 28 " "
80.21.	To the post cor of sec 20. 21. 28 & 29.
North	Return Sec 20 & 21. T. 8 N. R. 2 W.
40.00	Set a 7/8 lb post from which, Hogwood 6 in dia ^r beam. N 37 N. 4 lbs arch; or, Hick 10 " " " N 27 E. 16 " "
80.00	Set a post for the cor of sec 16. 17. 20 & 21 from which, Hogwood. 4 in dia ^r beam. S 18 E. 5 lbs arch; or, Sugar. 8 " " " S 27 N. 15 " " Sands the same.
East	On a Random line between Sec 16 & 21 T. 8 N. R. 2 W.
40.00	Set a temporary post.
54.75.	To a Brook 18 links miles. Corner S.

79.95	Enter out the N. 13 line. 10 links South of the post cor of sec 15. 16. 21 & 22. Sands the same.
North	Return Sec 16 & 21. On the True line T. 8 N. R. 2 W.
39.97 1/2	Set the temporary post at the corner on the true line from which, Sugar. 24 in dia ^r beam. N 10 E. 19 lbs arch; or, W. Ash. 3 " " " N 58 N. 12 " "
79.95	To the post cor of sec 16. 17. 20 & 21.
North	Return Sec 16 & 17. T. 8 N. R. 2 W.
40.00	Set a 7/8 lb post from which, W Oak. 7 in dia ^r beam. S 51 E. 8 lbs arch; or, Do. 5 " " " S 3 E. 15 " "
80.00	Set a post for the cor of sec 8. 9. 16. 17 from which, Beech. 8 in dia ^r beam. N 82 N. 18 lbs arch; or, Do. 8 " " " N 65 E. 14 " " Sands the same.
East	On a Random line between Sec 9 & 16 T. 8 N. R. 2 W.
40.00	Set a temporary post.
80.00	Enter out the N. 13 line 20 links South of the post cor of sec 9. 10. 15 & 16. Sands the same.
North	On the True line between Sec 9 & 16 T. 8 N. R. 2 W.
40.00	Set the temporary post at the corner on the true line from which, W Oak 15 in dia ^r beam. S 25 N. 13 lbs arch under Sugar. 5 " " " S 32 E. 12 " "
80.00	To the post cor of sec 8. 9. 16. & 17.
North	Return Sec 8 & 9 T. 8 N. R. 2 W.
40.00	Set a post for the cor of 7/8 lb from which, Beech. 20 in dia ^r beam. S 62 N. 32 lbs arch; or, Elm. 4 " " " N 10 E. 20 " "

T. N. 8. N. R. N. 27 2nd M. Ind.

80.00 Set apart for the car of saw 4.5.879 from which,
Sugar 6 in air bears N 5 E. 10 Ks dist. 10,
Hick 12 " " " N 65 N. 22 " "
Saw the same as last mile.

East On a Panam line between Saw 489. T. 8 N. R. 27.

40.50 Set a trap for the post.

79.50 To a Brook 10 miles N.W. corner N.W.

80.10 Enter out the N 5 line 22 miles South of the post on off
Saw 3.4.9 110 Saw the same.

West On the Line line between Saw 489. T. 8 N. R. 27.

40.05 Set the trap for the post at the air chest on the line from
which, in air bears N 84 E. 27 Ks dist
and a Hackberry 10 " " " N 66 N. 17 " "

80.10 To the post on of saw 4.5.879.

North Return Saw 485 T. 8 N. R. 27.

39.50 To a Brook 15 miles N.W. corner N.W.

40.00 Set a trap for the post from which,

Buck - in air bears N 75 E. 24 Ks dist. 10,

Poplar 12 " " " N 57 E. 10 " "

64.00 To a Brook 10 miles N.W. corner N.W.

75.60 Enter out the N 5 line 300 miles East of the post on
of saw 32 133. T. 9 N. R. 27 and set a post for the car
" " 485 from which,

Buck 8 in air bears N 64 E. 3 Ks dist. 10,

N Oak 12 " " " N 55 N. 23 " "

Saw the same.

North Return Saw 3133 T. 8 N. R. 27.

30.00 To a Brook 20 miles N.W. corner N.W.

40.00 Set a trap for the post from which,

T. N. 8. N. R. N. 27 2nd M. Ind.

Hick 10 in air bears N 57 N. 7 Ks dist. 10,

Sum. 18 " " " N 7 E. 10 " "

80.00 Set apart for the car of saw 29.30.31 133 from which,
Poplar 40 in air bears N 23 N. 28 Ks dist. 10
Buck 10 " " " N 67 E. 24 " "
Saw the same.

East On a Panam line between Saw 29 133 T. 8 N. R. 27.

40.00 Set a trap for the post.

63.00 To a Brook 20 miles N.W. corner N.W.

79.50 Enter out the N 5 line 25 miles South of the post on off
Saw 28.29.32 133. Saw the same.

West On the Line line between Saw 29 133 T. 8 N. R. 27.

39.75 Set the trap for the post at the air chest on the line from
which, Sugar 8 in air bears East 25 Ks dist.

79.50 To the car of saw 29.30.31 133.

North Return Saw 30 131 T. 8 N. R. 27.

22.50 To a Brook 10 miles N.W. corner N.W.

40.00 Set a trap for the post from which,

Hick 12 in air bears N 76 E. 29 Ks dist. 10,

Log wood 6 " " " N 55 N. 12 " "

65.00 To a maple 18 in air bears N 45 N. 10 Ks dist. 10,

69.90 Enter out the West Boundary 105 miles South of the post
on 25 136. T. 8 N. R. 37 and set apart for the car of saw
30 131 from which,

Buck 12 in air bears N 63 E. 4 Ks dist. 10,

Oak 15 " " " N 6 E. 20 " "

Saw the same as last mile.

North Return Saw 29 130 T. 8 N. R. 27.

40.00 Set a trap for the post from which,

S. N. S. A. R. N. D. M. D. M. Ind.

8000 Sugar 10 in dia. beam S 73 N. 10 links dist; 70,
 Juniper 4 4 4 N 14 N 15 4 4
 Set a post for the center of sec. 19, 20, 29 & 30 from which
 Gum. 20 in dia. beam S 55 E. 14 links dist; 70,
 Ho. 18 4 4 N 68 N. 17 4 4
 Sound rolling under soil not unlike Oak, Hick &
 Poplar, Sugar. &c.

East Clear Random line between Sec. 20 & 29. T. 8. N. R. 27.
 40.00 Set a temporary post.
 80.00 Enter cut the N 13 line at the first center of sec. 20, 21, 28 & 29
 Sound the same as last mile.

West Enter the line between Sec. 20 & 29. T. 8. N. R. 27.
 40.00 Set the temporary post at the center on the line
 from which N Oak - in dia. beam N 45 N. 13 links dist;
 Oak 10 4 4 N 45 N. 11 4 4
 80.00 To the first center of sec. 19, 20, 29 & 30

West Return Sec. 19 & 30 T. 8. N. R. 27.
 40.00 Set a temporary post from which
 N Oak 30 in dia. beam N 72 N. 18 links dist; 70,
 N Oak 12 4 4 N 35 E. 14 4 4
 70.50 Enter cut the West Boundary 8 links South of the first center
 of sec. 24 & 25. T. 8. N. R. 37 and set a post for the
 center of 19 & 30 from which
 Birch 8 in dia. beam N 80 N. 5 links dist; 70,
 Ho. 5 4 4 N 10 E. 7 4 4
 Sound the same as last mile.

North Return Sec. 19 & 20 T. 8. N. R. 27.
 40.00 Set a temporary post from which
 Birch 5 in dia. beam S 35 N. 9 links dist; 70,

S. N. S. A. R. N. D. M. D. M. Ind.

W Walnut 8 in dia. beam N 43 E. 21 links dist;
 80.00 Set a post for the center of sec. 17, 18, 19, & 20 from which
 Maple 18 in dia. beam S 25 N. 12 links dist; 70,
 Poplar 5 4 4 N 27 E. 17 4 4
 Sound the same.

East Return Sec. 17 & 20 T. 8. N. R. 27.
 40.00 Set a temporary post.
 80.12 Enter cut the N 13 line 15 links South of the first center of
 Sec. 16, 17, 20 & 21. Sound the same.

West Enter the line between Sec. 17 & 20 T. 8. N. R. 27.
 40.06 Set the temporary post at the center on the line from
 which N Oak 18 in dia. beam S 55 E. 4 links dist; 70,
 Oak 3 4 4 N 34 N. 33 4 4
 80.12 To the first center of sec. 17, 18, 19 & 20.

West Return Sec. 18 & 19 T. 8. N. R. 27.
 40.00 Set a temporary post from which
 Birch 4 in dia. beam S 70 N. 36 links dist; 70,
 Oak 4 4 4
 71.63 Enter cut the West Boundary 261 links South of the
 first center of sec. 13 & 24 T. 8. N. R. 37 and set a post for
 center of sec. 18 & 19 from which
 Birch 15 in dia. beam N 83 N. 18 links dist; 70,
 Dog wood 4 4 4 N 45 E. 22 4 4
 Sound the same as last mile.

North Return Sec. 17 & 18 T. 8. N. R. 27.
 40.00 Set a temporary post from which
 Birch 24 in dia. beam N 15 E. 13 links dist; 70,
 Sugar 12 4 4 N 70 N. 23 4 4
 55.50 To a Brook 15 links wide, corner N.

S. N. 8. A. R. N. 277 2nd M. Ind.

80.00 Sugar 10 in dia. beam S 37 N. 10 links dist; 70,
 Junco 44 " " N 14 N 15 " "
 Let a post for the cen of sec. 19, 20, 29 & 30 from white,
 Gum. 20 in dia. beam S 50 E. 14 links dist; 70,
 No. 18 " " " N 68 N. 17 " "
 Sound rolling made for not 1 mile Oak, Hick &
 Poplar, Sugar. &c.

East Cap. Randam line between Sec. 20 & 29. T. 8. N. R. 277
 40.00 Let a temp. 7/4 sec post.
 80.00 Let a post for the N 13 line. at the post cen of sec. 20, 21, 28 & 29
 Sound the same as last mile.

West Let the line line between Sec. 20 & 29. T. 8. N. R. 277
 40.00 Let the temp. 7/4 sec post at the or dist on the line
 from white N Oak - in dia. beam. N 45 N. 13 links dist
 and a No. 10 " " " N 45 N. 11 " "
 80.00 To the post cen of sec. 19, 20, 29 & 30.

West Return Sec 19 & 30 T. 8. N. R. 277.
 40.00 Let a 7/4 sec post from white
 N Oak. 30 in dia. beam N 72 N. 18 links dist; 70,
 N Oak. 12 " " " N 35 E. 14 " "
 70.50 Let a post for the West Boundary 261 links South of the
 cen of sec. 24 & 25. T. 8. N. R. 377 and let a post for the
 cen of 19 & 30 from white,
 Buck 8 in dia. beam N 80 N. 5 links dist; 70,
 No. 5 " " " N 10 E. 7 " "
 Sound the same as last mile.

North Return Sec 19 & 20 T. 8. N. R. 277
 40.00 Let a 7/4 sec post from white
 Buck 5 in dia. beam S 55 N. 9 links dist; 70,

S. N. 8. A. R. N. 277 2nd M. Ind.

West Walnut. 8 in dia. beam. N 43 E. 21 links dist;
 80.00 Let a post for the cen of sec. 17, 18, 19. & 20 from white,
 Maple. 18 in dia. beam. S 25 N. 12 links dist; 70,
 Poplar. 5 " " " N 27 E. 17 " "
 Sound the same.

East Return Sec 17 & 20 T. 8. N. R. 277.
 40.00 Let a temp. 7/4 sec post.
 80.12 Let a post for the N 13 line 15 links South of the post cen of
 Sec 16, 17, 20 & 21. Sound the same.

West Let the line line between Sec. 17 & 20 T. 8. N. R. 277.
 40.06 Let the temp. 7/4 sec post at the or dist on the line from
 white, N Oak. 18 in dia. beam. S 55 E. 11 links dist; 70,
 Oak. 3 " " " " N 44 N. 33 " "
 80.12 To the post cen of sec. 17, 18, 19 & 20.

West Return Sec 18 & 19 T. 8. N. R. 277.
 40.00 Let a 7/4 sec post from white,
 Buck 4 in dia. beam. S 70 N. 36 links dist; 70,
 Oak 4 " " " " " "
 71.63 Let a post for the West Boundary 261 links South of the
 post cen of sec. 13 & 24 T. 8. N. R. 377 and let a post for
 " " " 18 & 19 from white,
 Buck 15 in dia. beam. N 83 N. 18 links dist; 70,
 Dog wood 4 " " " N 45 E. 22 " "
 Sound the same as last mile.

North Return Sec 17 & 18 T. 8. N. R. 277.
 40.00 Let a 7/4 sec post from white
 Buck 24 in dia. beam. N 15 E. 13 links dist; 70,
 Sugar. 12 " " " S 70 N. 23 " "
 55.50 To a Brook 15 links wide, corner N.

T. N. 8. N. R. N. 2nd 2nd Mm. Ind.

80.00 Set a post for the cr of sw. 7.8.17. 118 from which
 Hick 24 in dia. beam. N 67.8 the dist. to
 Lo. 10 " " " N 19 E. 13. "
 Sounds the same.

East On a Rem arm line between Sw. 8.17. 18. N. R. 2nd M.

40.00 Set a temp. 1/4 in post.
 80.16 Intersect the N 13 line 26 miles North of the post. cr
 of sw. 8.9.16.17. Sounds the same.

West Return Sw. 8.17. 18. N. R. 2nd M. Line.
 40.08 Set the temp. 1/4 in post at the cr dist. in the line.
 from which, N 16.15 in dia. beam. N 86 E. 18 the dist.
 and a Hick 15 in " " " N 16 E. 22 " "
 80.16 Set the post cr of sw. 7.8.17. 118.

West Return Sw. 7.118 18. N. R. N. 2nd M.
 24.50 Top Rock 25 miles, become 2.7.
 40.00 Set a 1/4 in post from which
 Beck 20 in dia. beam. N 65 E. 16 the dist. to
 Lo. 10 " " " N 34 N. 14. "
 71.62 Intersect the West Bound. 129 miles South of the post
 cr of sw. 12.113. 18. N. R. 3rd M. and set a post for
 the " " " 7.118 from which
 Beck. 8 in dia. beam. N 20 E. 5 the dist. to
 Lo. 12 " " " N 63 E. 19. "
 Sounds the same.

North Return Sw. 7.118. 18. N. R. 2nd M.
 9.50 Top Rock 18 miles, become N.
 40.00 Set a 1/4 in post from which
 Sugar 12 in dia. beam. N 30 E. 10 the dist. to
 Beck. 8 " " " N 58 E. 35. "

T. N. 8. N. R. N. 2nd 2nd Mm. Ind.

71.00 To a N Oak. 18 in dia. in the line.
 80.00 Set a post for the cr of sw. 5.6.7.18 from which
 Beck. 12 in dia. beam. N 43 E. 12 the dist. to
 Lo. 6 " " " N 24 E. 10. "
 Sounds the same as last mile.

East On a Rem arm line between Sw. 5.18 18. N. R. 2nd M.
 40.00 Set a temp. 1/4 in post.
 79.90 Intersect the N 13 line 10 miles North of the post cr of sw.
 4.5.8.19. Sounds the same.

West Return Sw. 5.18 18. N. R. 2nd M. Line.
 39.95 Set the temp. 1/4 in post at the cr dist. in the line from
 which, no Ash. 20 in dia. beam. East 8 the dist. to
 Beck 24 " " " N 19 E. 12. "
 79.90 To the cr of sw. 5.6.7.18.

West Return Sw. 6.17 18. N. R. 2nd M.
 40.00 Set a 1/4 in post from which
 Beck. 12 in dia. beam. N 66 E. 26 the dist. to
 Lo. 8 " " " N 30 E. 7. "
 73.20 Intersect the N Bound. 100 miles South of the post
 cr of sw. 7.112 18. N. R. 3rd M. and set a post for the cr of
 Sw. 6.17. from which
 Sugar 4 in dia. beam. N 84 N. 15 the dist. to
 Lo. 18 " " " N 37 N. 24. "
 Sounds the same.

North Return Sw. 6.15 18. N. R. 2nd M.
 36.00 To a N Oak 20 in dia. stand for the line.
 40.00 Set a 1/4 in post from which
 Beck 10 in dia. beam. N 81 E. 11 the dist. to
 Lo. 9 " " " N 40 N. 12. "

S. No 8. N. R. No 2772nd Mer. Ind.

46.27 Let out the N. Run at 358 lms. East of the post ca of
 Jul. 31. 1830 29. N. R. 277 on a set apart from ca of Jul.
 576. from which
 Hick 3 in dist. lms. S 87 N. 14 lms. dist. m.
 Bush 3 " " " S 58 N. 8 " "
 Land the same. as last mtd.

Surveyed by
 Andrew Henric
 Dep^y Sur.

Comp.

I certify, that the foregoing Transcript of the field
 notes of Township No 8. North of Range No 2 West
 of the 2nd Principal Meridian in Indiana has
 been compared with the Original notes with this Office
 and found to be correct.
 Surveyor General's Office,
 Cincinnati, Nov. 17 1841

Surveyor General.

Township No 9. North of Range No 2 West 2nd Mer. Ind.

South Boundary.

B 136

April 6. 1841. From the ca of T. 8 & 9 N. R. 277.
 West On the South Boundary of sec. 36 T. 9 N. R. 277.
 4000 Let a new post from which
 Hick 13 in dist. lms. N 37 E 34 lms. dist. m.
 Do. 14 " " " S 53 N 22 " "
 8000 Let a post for the ca of sec. 35 T. 9 N. R. 277.
 Hick 5 in dist. lms. S 76 N. 28 lms. dist. m.
 Do. 4 " " " N 76 E. 14 " "
 Land here same as last, Hick

West On the South Boundary of sec. 35 T. 9 N. R. 277.
 35.00 Let a post 10 lms. mtd. from l.
 4000 Let a new post from which
 Bush 10 in dist. lms. S 46 E. 14 lms. dist. m.
 Hick 5 " " " N 87 N 16 " "
 8000 Let a post for the ca of sec. 34 T. 9 N. R. 277.
 Hick 13 in dist. lms. N 30 N 7 lms. dist. m.
 Do. 18 " " " S 45 N 13 " "
 Land the same.

West On the South Boundary of sec. 34 T. 9 N. R. 277.
 4000 Let a new post from which
 Sugar 12 in dist. lms. S 25 E. 13 lms. dist. m.
 Do. 8 " " " S 57 N. 12 " "
 8000 Let a post for the ca of sec. 33 T. 9 N. R. 277.
 Hick 5 in dist. lms. S 40 N 12 lms. dist. m.
 Bush 36 " " " S 55 E. 15 " "
 Land here same as last, Poplar & Sugar.

West On the South Boundary of sec. 33 T. 9 N. R. 277.
 4000 Let a new post from which
 Sugar 10 in dist. lms. N 22 N 13 lms. dist. m.